

This is a chapter on the book “The SAGE Handbook of GIS and Society”, edited by Timothy Nyerges, Helen Couclelis, and Robert McMaster. Thousand Oaks, CA, 2009. (ISBN 9781412946452)

Understanding Global Change: The Role of Geographic Information Science in the Integration of People and Nature

Clodoveu A. Davis, Jr.
Departamento de Ciência da Computação – Universidade Federal de Minas Gerais,
Brazil
Av. Presidente Antônio Carlos, 6627 – 31270-010 – Belo Horizonte – MG – Brazil

Frederico T. Fonseca
College of Information Sciences and Technology
The Pennsylvania State University
307E IST Building
University Park, PA - U.S.A.

Gilberto Camara
INPE - Brazilian National Institute for Space Research
Av dos Astronautas, 1.758
São José dos Campos – SP - Brazil

1. Introduction

The process of global change is altering in the Earth’s environment and climate. The implications of these changes for sustainability call for an approach that integrates the natural sciences and the human sciences. Scientists need to develop an understanding of the complexity of physical-ecological-anthropogenic systems. In this new paradigm, the Earth’s environment is seen as being influenced by the dynamic interaction of natural and social systems.

One of the most important research questions today is then “How is the Earth’s environment changing and what are the consequences for human civilization?” The science areas necessary to address this question are so many that only a solid interdisciplinary approach can succeed. One of the attempts to understand Global Change in an interdisciplinary way is what is called today Sustainability Science. This new undertaking has recently gained space in the National Academy of Sciences, which has approved in 2006 a new section dedicated to Sustainability Science (Clark and Dickson 2003; Clark 2007).

Sustainability science purports to understand, integrate, and model nature and society. Since most of the interventions on the environment are human choices, we need modeling tools that represent the world as seen and modified by human beings. Geographic Information Science (GIScience) is crucial for this purpose. In order to create Global Change models that include humans, we need GIScience. The key question for GIScience is whether it has the methods and techniques to support Global Change research.

“Geographic Information Science (GIScience) is the basic research field that seeks to redefine geographic concepts and their use in the context of geographic information

systems. GIScience also examines the impacts of GIS on individuals and society, and the influences of society on GIS. GIScience re-examines some of the most fundamental themes in traditional spatially oriented fields such as geography, cartography, and geodesy, while incorporating more recent developments in cognitive and information science. It also overlaps with and draws from more specialized research fields such as computer science, statistics, mathematics, and psychology, and contributes to progress in those fields. It supports research in political science and anthropology, and draws on those fields in studies of geographic information and society” (Mark 2000).

This article identifies the necessary key research questions in GIScience to support Global Change research. We discuss the main topics necessary for extending GIScience for it to be capable of understanding, representing and modeling global change, and to support public policies of adaptation and mitigation.

2. GIScience research and sustainability science

The challenges for GIScience regarding the support of sustainability actions can be understood as being part of a cycle. There is the need to improve our modeling skills, in order to face more complex systems and the interaction between human actions and natural systems. We also need to refine our data collection and data management tools, so that we can work in a globally distributed way, and manage increasingly large amounts of online data. Then, our knowledge discovery assets need to be revised towards working with such amounts of distributed data, in order to generate relevant and timely information. This information can then be used as a basis for policy making, and for simulations and other kinds of advanced studies. Whatever knowledge is gained in the process will probably indicate the need to improve our models and collect data again, thus forming a cycle of continuous improvement.

The four main proposed topics for the new GIScience research agenda that will help the understanding of the process of Global Change involve *modeling, data collection, knowledge discovery, and support for policy-making*. These topics are briefly discussed next.

2.1. Modeling

A model is a construct that is developed to help us focus on what is important and relevant in our purpose to understand a system. Modeling tries to reduce the complexity of a real-world element or phenomenon to combinations of elements, such as a set of mathematical equations (*mathematical modeling*), a number of descriptive characteristics (*database modeling*), or a set of rules and behaviors (*dynamic or predictive modeling*).

Scientists must use simplifications and approximations to model aspects of the reality. The inaccuracies that result from such simplifications need to be assessed, in order to check the validity of the model. One way to do so is to create *simulations*, in which the scientist uses the modeled elements and past data to verify how accurately the present conditions can be predicted. The insight on reality that can be obtained from such a process enables the formulation of

forecasting models, by means of which trends and the effects of new policies can be anticipated.

Modeling usually reflects a particular view on reality. Modelers must select and use elements from reality, as required to solve a specific range of problems, within that particular worldview. For a geographic information scientist, however, there is the additional challenge of creating representations of geographically located real-world elements that can be used by modeling efforts from scientists in other fields of expertise. Therefore, incorporating semantics to the models is an important requisite. Furthermore, semantic differences that result from modeling some real world elements in different representation scales are a challenge to GIScience, along with the creation of realistic and practical spatiotemporal modeling tools.

In order to adequately support the needs of sustainability science, we must be able to do all of the above, and also to evolve our modeling tools and skills to the point where modeling the connections between society and nature becomes feasible. There must be ways for scientists to develop a better understanding of human actions and motivations, especially in situations that affect the environment. This can only be done by making the various worldviews explicit, and making sure these conceptions can be adequately represented in computational tools such as geographic information systems.

2.2. Data Collection

Data collection has certainly improved in the last decade, to the point where concerns have shifted from availability to accessibility and discovery of data sources. The Internet has certainly helped, but a relative lack of universally accepted data transfer standards makes it hard to integrate data from several sources in a meaningful and practical way.

Many research initiatives currently have the need to (1) collect and organize large amounts of data using various methods, (2) integrate data from several different and distributed sources, and (3) adapt data collected within different semantic frameworks to fulfill their needs. It is usually possible, although time-consuming and error-prone, to perform such tasks manually. Research and development on fields such as data warehousing and records linkage have managed to supply scientists with a few tools and techniques, but there is still much to do.

Furthermore, when someone assembles a dataset from several different sources, chances are the data will become outdated soon. Therefore, some applications would rather count on ways to access data sources directly, instead of being caught in the extraction-transformation-load cycle. Current service-based architectures and content management technology can be combined and adapted to fulfill dynamic requests for data, thus enabling the creation of *loosely-coupled information systems*. Such systems require, fundamentally, that adequate sources of metadata are created and maintained. This is not a simple task, considering semantic concerns and the need to synchronize metadata and actual data, although some international metadata creation standards are available.

Collecting data for models that integrate nature and society (implying distributed global data management) requires understanding the collaborative monitoring of the Earth. There is a definite need for technologies and services that allow combining data from various (dynamic, distributed) sources to improve our capacity of measuring the state of the planet and acting upon the results.

2.3. Knowledge discovery

Dealing with large amounts of distributed data, as explained in the previous section, is already very difficult. Trying to make sense of all that data, generating useful and meaningful information, is an even more complex task. There are currently data warehousing (DW), data mining (DM), and knowledge discovery from databases (KDD) techniques that are able to do so from centralized repositories, and even some initiatives that allow for decentralized data sources, thus creating distributed data warehousing. A range of DM techniques, geared towards mining data streams, can also be useful.

The challenge for GIScience is to put together all kinds of knowledge discovery tools and techniques, adapting them wherever necessary to use the full potential of spatial and temporal information, in order to generate knowledge from observations, measurements, and other types of data available on the Internet. In the process, it is necessary to consider semantic frameworks to achieve integration, and to allow for ways to integrate without having to create centralized repositories or transferring large volumes of data across the globe. Ideally, data mining and KDD should be performed in a decentralized fashion, combining results at some location.

In the case of global change, the challenges for knowledge discovery are even larger. It is necessary to combine and extract knowledge from spatial and temporal data. It is also important to understand that data representing human actions and data representing nature may have different behaviors and generate incompatible trends. In summary, the problem of knowledge discovery, which is already complicated enough, becomes more complex when it is applied to global change, understood as the result of society and nature interactions.

There is also the technological challenge of mining data from streams of environmental measurements, then applying these data to models to be used to monitor environmental changes and also to support mitigation work. Therefore, we need to improve our capacity to discover new things in order to meet the demands of sustainable development. It is also necessary to find ways to share the new knowledge broadly and quickly.

2.4. Support for policy-making

The big question here is on how can we use the knowledge that we acquired with the previous processes to develop policies to act upon the dynamic interactions of nature and society. It is necessary to communicate the results from knowledge discovery to policy makers. They also need access to the data and to well-explained versions of the models. In case of global policies, we need also to explicit any cultural assumptions behind the data and the models.

GIScience can be used in the support of the creation of new environmental policies. How can we take actions to preserve the environment now and keep

growing economically in the long run? We need to create different ways of modeling, implement and study these models (possibly using simulation techniques), and use them to create and support policies that address sustainable development. During the current state of affairs, in which people are becoming aware of sustainability issues and starting to take immediate and long term actions, we need to monitor if our models, data and policies are correct. GIScience can help with the creation of sustainability indices to support our decision making and to measure its effectiveness (Kates, Clark et al. 2001).

3. Connections between GIScience research and sustainability science

In this section we list the core questions for sustainability science as mentioned in *Science* by Kates et al. (2001), and discuss their repercussions, from the point of view of GIScience. This discussion leads to new questions, this time specific to GIScience. Each new question is then related to one or more of the topics presented in section 2, namely modeling, data collection, knowledge discovery, and support for policy-making.

Question 1. *How can the dynamic interactions between nature and society – including lags and inertia – be better incorporated in emerging models and conceptualizations that integrate the Earth system, human development, and sustainability?*

This question poses, for GIScience and for other areas with an interest in modeling human behavior and its interactions with nature, a very big challenge. In short, it is about understanding how human societies shape and are shaped by nature, including cultural, political, social, and economic aspects. The broad scope of the question requires the capacity to generalize in a global scale, while considering local aspects and peculiarities. It also implies the need to cope with development policies and their impact on societies and on nature.

	Modeling	Data collection	Knowledge discovery	Support for policy-making
How do conceptualizations of sustainability vary across different cultures?	X			
How do we represent human actions in computer systems?	X			X
What is the impact of human actions in different geographical scales?	X		X	
How to deal with the variations in the perception of natural phenomena at various levels of detail?	X			
How can we merge geographic and georeferenced data from heterogeneous sources?	X	X		

How to establish the trustworthiness of data sources?		X		
How can we generate knowledge without experimenting with nature? Can we integrate and use alternative sources of knowledge, such as data from the past?		X	X	
How to assess and demonstrate the effects of development policies over natural systems?			X	X

Question 2. *How are long-term trends in environment and development, including consumption and population, reshaping nature-society interactions in ways relevant to sustainability?*

This question is intrinsically related to the previous one, since knowing more about long-term trends requires more advanced modeling and conceptualization skills. However, it presents GIScience with the need for improvements on monitoring methods and tools, in order to assess the correctness of models and the effectiveness of policies for sustainability. Kates et al. (2001) suggest the creation of sustainability indicators. We observe that such indicators should be built upon adequate spatial and temporal reference granularities, and should probably be assembled from local data, in a bottom-up fashion.

	Modeling	Data collection	Knowledge discovery	Support for policy-making
How can we agree on a set of societal and environmental variables from which indicator components can be chosen?	X	X		
How can we establish firm goals and quantifiable objectives for the sustainability effort?	X			X
How can we collect relevant data for sustainability indicators at different spatial and temporal granularities?		X		
How can we generate time series of indicators that reflect the situation in the past, so we can detect tendencies for the immediate future?		X	X	
How can we present indicators in a way that the general public can understand the evolution towards sustainability?			X	X
What kind of policies will accelerate and what kind will slow down the processes we want to control?				X

Question 3. *What determines the vulnerability or resilience of the nature-society system in particular kinds of places and for particular types of ecosystems and human livelihoods?*

Different societies and cultures may interpret and value differently vulnerability and environmental threats. Nevertheless, the actions of each society on the environment are shared by all. This is another example on how local activities affect the global environment, and on how a society (or all societies) should be held accountable for the consequences of its actions on the environment.

There are examples of fragile ecosystems that are affected by human actions that take place not only directly over them, but elsewhere, as in the case of the Great Barrier Reef, in Australia. Recently, that ecosystem has been affected both by farming, which causes pesticide- and fertilizer-based pollution in nearby basins {Devlin, 2004 #2117}, and by warmer sea waters, that result from global warming {Great Barrier Reef Marine Park Authority, 2008 #2118}. Such an observation shows how, in several environmental issues, national borders become meaningless and the need to face problems becomes a global undertaking.

Therefore, within a GIScience understanding, the challenge presented by this question is about reaching comprehensive agreements, first on data and models, then on policies and monitoring.

	Modeling	Data collection	Knowledge discovery	Support for policy-making
How do conceptualizations of vulnerability and resilience vary across different cultures?	X			
How to express vulnerability and resilience spatially?	X			
How can we overcome national boundaries when dealing with data collection?		X		
How can we propose and implement global standards for data collection, documentation, and distributed access?		X	X	
How can we develop policies that are effective and, at the same time, fair to different cultures and lifestyles?			X	X

Question 4. *Can scientifically meaningful “limits” or “boundaries” be defined that would provide effective warning of conditions beyond which the nature-society systems incur a significantly increased risk of serious degradation?*

In a way, this question touches again on the issue of indicators, and asks whether is there a “point of no return” in relation to human actions causing

degradation. If this is the case, the question implies the existence of a monitoring system, from which early warnings could be issued and action could be taken before a threshold is reached. For GIScience, this constitutes the main challenge related to this question, even though we can imagine geographic information scientists being involved in the determination of the thresholds themselves.

As a result, many demands to GIScience arise from the need to collect and analyze large amounts of data on nature-society systems, and to present results in a meaningful way.

	Modeling	Data collection	Knowledge discovery	Support for policy-making
How can we identify natural systems at risk, communities at risk, and cases of dependency between communities and natural systems? Which are the populations at immediate and long-term risk?	X	X	X	X
What are the human inputs to global climate models (land use change, carbon cycle, water cycle, and atmospheric chemistry, for instance), and where are their sources?	X	X		
How can we demonstrate and present tendencies and predict degradation risk?			X	X
How to tap into and learn from the globally distributed efforts to monitor the environmental systems?			X	
How can we isolate facts that can be used as examples and arguments to demonstrate degradation risk?			X	X
How can we isolate causes of degradation so that more efficient action can be taken against them?			X	X
How can we support the creation of a global schedule or timetable for acting against sources of degradation?			X	X

Question 5. *What systems of incentive structures – including markets, rules, norms and scientific information – can most effectively improve social capacity to guide interactions between nature and society toward more sustainable trajectories?*

Incentive systems are among the most interesting and cost-effective ways for public authorities to deal with environmental issues. In short, authorities must develop policies that make aggressions to the environment more costly than their prevention or compensation. There can be rewards for reducing impact, and/or penalties for causing degradation. In a best-case scenario, such rewards and penalties should be applied so that it becomes economically interesting, for the source of degradation, to invest in strategies and technologies to reduce impact it

causes on the environment and on populations (National Center for Environmental Economics (NCEE) 2001).

However, incentive systems alone cannot ensure that society learns about threats to itself or to the environment. There are numerous cases of litigation, either involving governments and corporations, or groups of citizens and corporations, in which reparation is sought in court for health or environmental damages. Awareness of such situations should be foremost in the agenda for sustainability. For that purpose, regulations and norms that require information transparency are becoming commonplace, but communicating complex data to the general public is still a big challenge.

	Modeling	Data collection	Knowledge discovery	Support for policy-making
What are the relations between markets and sustainability at various spatial scales?	X	X	X	
How can economic factors for sustainability be expressed and viewed spatially?	X		X	
How can we integrate structured and unstructured data for information transparency purposes?	X	X		
How does the spatial expression of markets contribute to public policies that promote sustainability?				X

Question 6. *How can today's operational systems for monitoring and reporting on environmental and social conditions be integrated or extended to provide more useful guidance for efforts to navigate a transition toward sustainability?*

In our data-intensive era, numerous data collection efforts take place simultaneously, generating large volumes of measurement data. Considering the historical accumulation of such data, these volumes compound even more, to the point where the problem of data availability has become a problem of finding and getting access to relevant data.

Naturally, if every environmental and social data source found a way to publish their data on the Internet, much of the access problem would be solved, but the data discovery problem would still remain. Furthermore, there are semantic aspects related to the paradigms that guided the data collection effort, that have to be considered when scientists need to decide whether the existing data fit their needs or not.

Metadata, in this case, become fundamentally important. Standards for geographic metadata are in place, in the form of ISO 19115 (2003) (International Standards Organization (ISO) 2003), and projects such as INSPIRE (INSPIRE 2002) have already assembled searchable sources of geographic metadata. The current

efforts can be extended to include alternatives to keyword-based searching, so that language becomes less of a hindrance and semantic aspects can be included.

There is also the matter of integration of data sources. Metadata should be sufficient to allow a scientist to decide whether two datasets could be reasonably used together, but adequate (and possibly automatic) treatment of uncertainty, level of detail, and – once again – semantics is still pending.

	Modeling	Data collection	Knowledge discovery	Support for policy-making
How can we achieve interoperability between models that are created under different scientific paradigms?	X			
How can we achieve interoperability between environmental monitoring systems?	X	X		
Can we build intelligent systems that work on the border between the environmental and the social worlds, joining data sources from both?	X		X	
Can we quickly put together new systems based on multiple and distributed data sources?	X		X	X
How can we create systems that help the design of policies and the evaluation of policies' results?				X

Question 7. *How can today's relatively independent activities of research planning, monitoring, assessment, and decision support be better integrated into systems for adaptive management and societal learning?*

The integration of scientific disciplines to promote research on interdisciplinary themes is often hard to achieve. Different worldviews, along with divergent research agendas and pigeonholed funding opportunities, constitute hurdles to groups of scientists that work on similar subjects and wish to develop integrated work.

GIScience is known to be essentially interdisciplinary, and geography can many times provide a good basis for the integration of scientific work and data from several disciplines. Therefore, the answer to this question, from a GIScience point of view, implies continuing the search for more and better ways to integrate models, people and data, and for more and better ways to communicate results and act upon them.

	Modeling	Data collection	Knowledge discovery	Support for policy-making
How can we build interdisciplinary models that reach across different and sometimes incompatible fields of knowledge?	X			
How can we integrate data coming from different sciences?		X		
How can we incorporate unstructured data coming from informal sources?	X	X		
How can we build geographical visualization systems that help public policy makers and societal stakeholders?			X	X
How do good GIS user interfaces help planners and decision makers?				X
How can a planner build scenarios using spatial decision support systems?	X	X	X	X

4. Spatial data sharing

The creation and maintenance of geographic datasets is a complex and expensive undertaking. In the early days of GIS, activities such as data gathering and data conversion were foremost in the minds of administrators, for their impact on budgets and project timetables. Cooperation was seen as a means to achieve lower costs, since organizations interested in the same region could share efforts to generate basic data. However, reaching an agreement on cooperation was not the only hurdle to overcome, since technological support for data sharing was still in its infancy.

Over time, the demand for data sharing and exchange grew to the point where data transfer standards were needed. Since each organization can potentially use a different GIS, neutral file formats were needed for data transfer purposes (Lima, Câmara et al. 2001). In practice, ad-hoc formats proposed by commercial GIS vendors achieved much more success than national standards. However, exchanging data by means of offline file transfers in an agreed-upon format was inconvenient and time-consuming, with the added disadvantage of having only syntactic concerns, overlooking semantic issues. Offline sharing also causes multiple copies of the same data to be available in different locations, causing serious synchronization problems.

Spatial data clearinghouses were developed with the intention of facilitating and organizing access to data files and other geographic resources, thus creating referential repositories for shared data. Clearinghouses consist of a centralized repository or a web site, from which data originated at various sources can be found, along with some tools for searching, viewing, transferring, and ordering spatial data (Crompvoets, Bregt et al. 2004). Clearinghouses are a channel through

which data providers can make their offerings known to users. User demands to know details on the data, including source, data capture process and reference time, created a widespread need for organized sets of metadata. Clearinghouses have been more recently described as a kind of Web portal, i.e., a site or a gateway through which commonly used services are offered (INSPIRE 2002). Even though in a clearinghouse it is usually possible to locate and obtain datasets of interest, semantic treatment of the metadata is still scarce, and the user is left with keyword and location-based search tools.

5. Spatial data infrastructures

Spatial Data Infrastructure (SDI) is a new approach to creation, distribution and use of geographic information that tries to address the shortcomings listed above. SDI tries to avoid the old view of GIS as an automated map distribution system, which focuses on map production and distribution of existing sources on an “as-is” basis. SDI is an enabler for understanding space. SDI does not simply deliver maps. It disseminates spatial data with associated quality control, metadata information, and semantic descriptions. The SDI user is someone who is able to combine spatial data from different sources to produce new information for a study area. In this view SDI can play an important role in the management of the environment and in the sustainable growth of our society.

The expression SDI was initially used to describe a standardized way to access to geographic information (Maguire and Longley 2005). A SDI implies the existence of some sort of coordination for policy formulation and implementation, along with more complete and standardized metadata, possibly including means to provide online access to data sources.

The first generation of SDI focused on granting a broad thematic scope, which is consistent with the current analogy between SDI and other types of infrastructure: fostering economic development by granting access to publicly-available and multiple-use goods or services. Evolution from the first generation of SDI was made possible by the recent expansion of Web-based information systems. In the USA, the Geospatial One-Stop (GOS) Web portal was created to provide widespread access to geographic information, inaugurating the concept of *geoportals* (Maguire and Longley 2005; Tait 2005), currently viewed as SDI components. While an SDI is the overarching environment formed by the confluence of several geographic data providers, each of which granting data access through specific Web services, a geoportal provides means to give humans some level of interactive access to these data resources, including Web-based viewers and metadata-based discovery tools (Figure 1).




Figure 1 - Geoportals and SDI

The use of Web services to grant direct access to data is the most important distinction between first- and second-generation SDIs. In fact, the numerous possibilities that arise from using such services to encapsulate data from multiple sources, and thereby achieve interoperability, have led Bernard and Craglia (2005) to propose a new translation for the SDI acronym: *Service-Driven Infrastructures*. In fact, current SDIs include Web services as one of the possible data access channels, while maintaining links to downloadable data and existing Web applications.

The most current view on spatial information infrastructures considers their evolution into the perspective of *service-based distributed system architectures*, which have been proposed as part of a strategy for developing complex information systems based on reusable components. One of the most interesting approaches in this field is the one of *service-oriented architectures* (SOA) (Papazoglou and Georgakopoulos 2003). Services, their descriptions and fundamental operations, such as discovery, selection, and binding, form the basis of SOA. SOA supports large applications with sharing of data and processing capacity, through network-based distributed allocation of applications and use of computational resources. In this architecture, services are self-contained, which means that information on the service's description, including its capabilities,

interface, behavior, and quality, can be obtained from the service itself, through a standardized set of functions. The Open Geospatial Consortium (OGC) has proposed many standards for Web service-based data access, such as the Web Feature Service (WFS), the Web Map Service (WMS), and several more, including some which are under evaluation at the time of this writing {Klopfer, 2005 #2119}.

6. Research challenges

We consider that SDIs can be a valuable asset to develop practical solutions for the huge challenges posed by sustainability science. By organizing existing data in an unobtrusive setting of multiple and distributed sources, scientists can discover and gain direct access to relevant data, avoiding the need for time-consuming data transfer and translation. By “unobtrusive” we mean that data providers can keep their data collection and maintenance routines intact, based on the information technology tools of their choice, while being able to provide direct access to data in a timely and technologically-neutral way.

The resulting framework points towards the idea of *loosely-coupled GIS* {Alves, 2007 #2000}, especially if the possibilities for developing and deploying more sophisticated processing and analysis services are considered. For instance, consider the existence of various separate sources of data on rainfall, temperature, soil types, and vegetation. From these data, a climate scientist needs to perform an analysis to determine evaporation averages. Algorithms to perform such an analysis can be documented with metadata and implemented as services. As a result, chaining selected data-provision services for the four sources to a selected analysis processing service, information can be generated without the need to transfer and install sophisticated tools at the scientist’s site, and can even dismiss the need for locally-available computing power. The scientist could, in principle, execute such an analysis in the field, equipped only with some sort of mobile computing device connected to the Internet. This is a form of *cloud computing*, a concept related to Web 2.0 in the direction of providing “software as a service” (SaaS) {Buyya, 2008 #2120}. Notice that selecting among various data and processing sources is an integral part of the task, and the scientist needs to have means to discern between such alternatives. This indicates the need for *semantic discovery of services*, meaning that simple metadata schemes with keyword-based searches may not suffice.

7. Future trends and prospects

The potential volume of data sources and the complexity of geospatial analysis algorithms pose interesting and important challenges for loosely-coupled GIS and cloud computing. Application requirements for large volumes of data transfer can be costly and time consuming, indicating that users might prefer to keep copies at more convenient (although also Web-based) locations, and therefore some kind of synchronization should take place. There is also the need for more research and development on services integration, chaining, and orchestration, with better and easier to use tools, along with the need for specialized services, designed to assist the use of geospatial cloud computing

resources with temporary data storage and synchronization methods (Alves and Davis Jr 2007). Furthermore, more and better tools for mobile SDI-based geospatial computing need to be developed, including geospatial viewers specifically designed for small screens, and location-aware services, which can count on the growing availability of GPS receivers in cellular phones and other devices.

There are also several concerns about computational performance, protection of sensitive data, and the security of partial results, although these concerns are shared by the general SOA and cloud computing development efforts.

8. Acknowledgments

Clodoveu Davis's work is partially supported by CNPq and FAPEMIG, Brazilian agencies in charge of fostering research and development.

9. Authors

Clodoveu A. Davis, Jr.

Departamento de Ciência da Computação – Universidade Federal de Minas Gerais, Brazil, Av. Presidente Antônio Carlos, 6627 – 31270-010 – Belo Horizonte – MG – Brazil (clodoveu@dcc.ufmg.br).

Short bio: Clodoveu Augusto Davis Junior received his B.S. degree in Civil Engineering in 1985 from the Federal University of Minas Gerais (UFMG), Brazil. He obtained M.Sc. and Ph.D. degrees in Computer Science, also from UFMG, in 1992 and 2000, respectively. He led the team that conducted the implementation of GIS technology in the city of Belo Horizonte, Brazil, and coordinated several geographic application development efforts. Currently, he is a professor and researcher at the Federal University of Minas Gerais. His main research interests include geographic databases, urban GIS, spatial data infrastructures, and multiple representations in GIS.

Frederico T. Fonseca

College of Information Sciences and Technology, The Pennsylvania State University, 307E IST Building, University Park, PA - U.S.A. 16802-6823 (fredfonseca@ist.psu.edu)

Short bio: Frederico Fonseca graduated from the Federal University of Minas Gerais with a degree in Data Processing (1977) and the Catholic University of Minas Gerais with a B.S. in Mechanical Engineering (1978). Subsequently he obtained a Master's in Public Administration from the João Pinheiro Foundation, Brazil (1995). Dr. Fonseca was an Assistant Professor in Computer Science at the Catholic University of Minas Gerais, and held professional appointments as senior systems analyst, GIS analyst and programmer. He completed his Ph.D. with Dr. Egenhofer at the University of Maine in 2001. His thesis covered the area of GIS interoperability. His research provides a theoretical basis for semantic interoperability, which is a necessary foundation for a working, interoperating environment. With his focus on system design, Dr.

Fonseca demonstrates how complicated processes can be integrated to the benefit of users. His newly developed concept of ontology-based GIS is highly interdisciplinary as it brings together various research methods from artificial intelligence, software engineering, and GIS. Currently, he is an Associate Professor at the College of Information Sciences and Technology at the Pennsylvania State University.

Gilberto Camara

INPE - Brazilian National Institute for Space Research, Av dos Astronautas, 1.758, São José dos Campos – SP, Brazil (gilberto.camara@inpe.br).

Short Bio: Dr. Gilberto Camara is currently the general manager of the Brazilian National Institute for Space Research – INPE, appointed by the Brazilian president for the period 2006 to 2010. He is responsible for the administration of INPE's research and development groups in Space Science, Space Engineering, Earth Observation and Weather and Climate Studies. Previously, he was head of INPE's Image Processing Division from 1991 to 1996 and Director for Earth Observation from 2001 to 2005. His research interests include: geographical information science and engineering, spatial databases, spatial analysis and environmental modeling. He has published more than 120 full papers on refereed journals and scientific conferences.

10. References

- Alves, L. L. and C. A. Davis Jr (2007). Evaluation of OGC Web Services for Local Spatial Data Infrastructures and for the Development of Clients for Geographic Information Systems. Advances in Geoinformatics. C. A. Davis Jr and A. M. V. Monteiro. Berlin, Springer: 217-234.
- Bernard, L. and M. Craglia (2005). SDI - From Spatial Data Infrastructure to Service Driven Infrastructure. Research Workshop on Cross-Learning Between Spatial Data Infrastructures and Information Infrastructures, Enschede, The Netherlands.
- Clark, W. C. (2007). "Sustainability Science: A room of its own." Proceedings of the National Academy of Sciences **104**(6): 1737.
- Clark, W. C. and N. M. Dickson (2003). Sustainability science: The emerging research program. Proceedings of the National Academy of Sciences, National Acad Sciences. **100**: 8059-8061.
- Crompvoets, J., A. Bregt, et al. (2004). "Assessing the worldwide developments of national spatial data clearinghouses." International Journal of Geographic Information Science **18**(7): 665-689.
- INSPIRE (2002). INSPIRE Architecture and Standards Working Group, INSPIRE Architecture and Standards Position Paper. Brussels, Commission of the European Communities.

- International Standards Organization (ISO). (2003). "Geographic information - Metadata." Retrieved August 25, 2008, from http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?cnumber=26020.
- Kates, R. W., W. C. Clark, et al. (2001). Environment and Development: Sustainability Science. *Science*. **292**: 641-642.
- Lima, P., G. Câmara, et al. (2001). Geographic data exchange: models, formats, and converters (in Portuguese). III Brazilian Workshop on GeoInformatics (GeoInfo 2001), Rio de Janeiro, Brazil.
- Maguire, D. J. and P. A. Longley (2005). "The emergence of geoportals and their role in spatial data infrastructures." *Computers, Environment and Urban Systems* **29**(1): 3.
- Mark, D. (2000). Geographic Information Science: defining the field. *Foundations of Geographic Information Science*. M. Duckham, M. F. Goodchild and M. F. Worboys. New York, Taylor & Francis: 3-18.
- National Center for Environmental Economics (NCEE) (2001). Chapter 3: The cost effectiveness and environmental effects of incentive systems. The U.S. Experience with economic incentives for protecting the environment. Washington, DC, Environmental Protection Agency (EPA).
- Papazoglou, M. P. and D. Georgakopoulos (2003). "Service-Oriented Computing." *Communications of the ACM* **46**(10): 25-28.
- Tait, M. G. (2005). "Implementing geoportals: applications of distributed GIS." *Computers, Environment and Urban Systems* **29**(1): 33-47.